



# ESLINGA DOBLE CON ABSORBEDOR

## ENERGY ABSORBING LANYARDS

Fall protection



### Specific benefits



#### Hygiene

- Harnesses and textiles can be washed with neutral soap



#### Performance

- Strap with improved abrasion resistance and certified for use on sharp edges



#### Easy to use

- Automatic carabiners for secure and time-saving locking
- NFC system guarantees traceability



#### Durability

- High webbing tenacity thanks to its weave and width



#### Compatibility

- Compatible with all kind of harnesses

### Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

### Certifications and norms

ANSI Z359.3-2019



### Protects against risks



Fall



# ESLINGA DOBLE CON ABSORBEDOR

ENERGY ABSORBING LANYARDS

Fall protection

## Standards - Details

## Technical details

Type of equipment	Energy absorber in lanyard webbing
Composition of the main support	Polyester
Strap width (mm)	45 mm
Length	1,8 m
With connector	yes
Included elements	Included energy absorber, Storage bag
Color	Black-Yellow
Connector (user side)	Automatic lock hook, steel, opening 20mm
SIZE	1,8 m
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



# ESLINGA DOBLE CON ABSORBEDOR

## ENERGY ABSORBING LANYARDS

Fall protection

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
WCOAN513180J WW	Black-Yellow	1,8 m	ESLINGA DOBLE CON ABSORBEDOR	0	0	7	1	0.0